



64 Bits of MapInfo Pro!!! ...and the next BIG thing

March 2015

MapInfo Professional v12.5 Themes




32 66					
	Cartographic output	Ability to work directly with a map in a layout. An all new Layout Designer to make creating layouts easier.			
6.6%	Performance improvements	Use of multiple cores for object processing improvements			
130	OS - 64 bit	Full 64-bit application			
	User experience upgrades	Redesigned user interface with ribbons (64 bit)			
	New Grid Engine	New format and high performing grid engine. (64-bit). Targeted for Q2 2015			

New User Interface


Easier to learn – easier to use!




All new user Ribbon based user interface



Easier to Use




Tabbed Windows




Easier to Use – The Open Gallery


The Open Gallery is a "one stop shop" for accessing your data.



New Workspace Explorer Window



Ease of Use




*StreetPro United Kingdom with docked windows.wor 🔺

records 1 - 8 of 188




Easier to Use: Layer Properties and Preview

Style Tab: Interactive feedback on layer display changes



Label Properties and Preview



New Layout Designer




Prepare maps for printing more quickly and easily


than ever before

Grids and Guidelines


- Auto-wrapping text boxes
- 32 bit easy access toolbar
- 64 bit dedicated ribbon



Layout Designer – Grids and Guidelines




New Layout Designer – Image support



31 Layout Designer – Active Maps

Work directly with your map windows without leaving the Layout page!

- Pan and Zoom
- Adjust layers
- Modify labels
- Set the scale
- Add layers
- Edit objects



Prepare maps for printing more quickly and easily than ever before.

32 Layout Designer – Active Browser


Work directly with Browser windows without leaving the Layout page!

- Sort and filter
- Add / remove / rearrange columns
- Change the font

TABLE MAP	SPATIAL LAYOUT	Image: Strate of the strate	om Out 🕂 🖾 🖻
Page	Edit	Arrange Tools	Output
Destilleri Allt-A-Bhainne Ardmore	2010 1100 21	Reaion ort Ascending	
Auchroisk	1974Active	SKOUSSKU	
Aultmore	1896Active \textbf{F}	Iter destilleri	er
Balmenach	1824Active 🛛 🙀 🖉	lear Filter	G
Balvenie	1892Active	speyside	
Kininvie	1990Closed (2010)	Speyside	
Glenfiddich	1887Active	Speyside	
Banff	1863Closed (1983)	Speyside	
Benriach	1898Active	Speyside	
Longmorn	1894Active	Speyside	
Benrinnes	1835Active	Speyside	
Benromach	1898Active	Speyside	
Braeval	1974Active	Speyside	
Caperdonich	1898Mothballed	Speyside	
Glen Grant	1840Active	Speyside	
Glen Spey	1878Active	Speyside	
Glenrothes	1878Active	Speyside	
Speyburn	1897Active	Speyside 🗾	
Coleburn	1897Closed (1985)	Speyside	
Cardhu	1824Active	Speyside	
Convalmore	1894Closed (1985)	Speyside	
Craggapmore	1870Active	Spevcide	

Managing MapInfo Pro Customisation and Tools Preferences Backwards Compatibility


33 Customise the Quick Access Toolbar and the Ribbon to suit your needs!



New Tool Manager



34 On Home tab or available from the Window gallery



Tool Manager: Double-click or Right-click to use a tool.


When a tool is running...



One of the main functions for each tool is available by double-clicking...

and/or

A menu for the tool is available by right-clicking.





Improved user interface

• One dialog box for all the capabilities

Decimal / DMS	Converter (Version 1.3)	— ×
Coordinate Cor	nverter	
Degrees, 42	Mins, Secs 45 30.0	Decimal Degrees 42.75833333
	<<	>>>
🔽 Convert Colu	umn of Data between DMS and Decimal	
Table	Countries_small 🔻	
Source	Country_Name Format	DMS 🔻
Destination	Color_Code	
Browse Res	sults	
📃 Decimal Se	conds	
		OK Cancel

MapBasic Tool: Improved GE Link (Google Earth export)

Export a single map

New batch export capability


酒 To	ols	□ ×
Runn	ing Registered Recent	
Optio	ns 💌 Search	0
1 te M	lapInfo Pro Raster 🔻	
	niversal Translator 💌	
	egree Converter 🔻	
	ync Windows 🔻	
	ELink 🔻 📀	1 ()
Go ve	Export Map Image or Current Selection to Google Earth	
G	Run GELink Batch Utility	
	Unregister Tool	
E		
-		

GELink Batch File Ut	tility		Go		Run G
Open Batch File:				\times	Unreg
	TAB File List (double click to edit KML preferences)			_	
Add TAB/WOR	C:\MapInfoData\Products\USA\StreetPro\NY\nyrens\NYRENSal C:\MapInfoData\Products\USA\StreetPro\NY\nyrens\NYRENSmc	Î.			
Remove TAB	C:\MapInfo Data\Products\USA\StreetPro\NY\nyrens\NYRENScy C:\MapInfo Data\Products\USA\StreetPro\NY\nyrens\NYRENSx1	Е			
	C:\MapInfo Data\Products\USA\StreetPro\NY\nyrens\NYRENSx2				
Save File	C:\MapInfo Data\Products\USA\StreetPro\NY\nyrens\NYRENSx3 C:\MapInfo Data\Products\USA\StreetPro\NY\nyrens\NYRENSy1				
Save File As	C:\MapInfo Data\Products\USA\StreetPro\NY\nyrens\NYRENSy3 C:\MapInfo Data\Products\USA\StreetPro\NY\nyrens\NYRENSy5				
	C:\MapInfo Data\Products\USA\StreetPro\NY\nyrens\NYRENSow C:\MapInfo Data\Products\USA\StreetPro\NY\nyrens\NYRENSra				
Run as KML	C:\MapInfo Data\Products\USA\StreetPro\NY\nyrens\NYRENSrc				
Run as JPG	C:\MapInfo Data\Products\USA\StreetPro\NY\nyrens\NYRENSin C:\MapInfo Data\Products\USA\StreetPro\NY\nyrens\NYRENStr	Ŧ			
Output Folder:	C:\My KML data				
📝 Export To Goog	le Earth Now				




The Sync Windows tool adds its capabilities to the Map tab.

In addition to the menus in the Tool Manager, some of the tools appear on the ribbon.






The North Arrow tool button appears in the *Map* Tab in the *Options* group.






New interface!

This tool is for aligning non-earth data to a projection.






Syntax highlighting!

Controlled by a Preference (on by default)



MapBasic Window Preferences (*Pro > Options > MapBasic*)




Improved Workspace Support

MapInfo Professional now works on the basis of a "current workspace"

- Opening a new workspace replaces the current workspace.
- Workspaces can be combined by using the Add Workspace command


2	E		
Open	Add		
rkspace	Workspace		



Preferences for what changes to include-

Know when a Workspace needs to be saved







52 Application Preferences for the Behaviour you want

Behaviour of the Ribbon when you switch the "front window".


- None the selected ribbon tab does not change when you change windows.
- Last tab each window "remembers" the last ribbon tab that was used.
- Automatic each window type (Map, Browser and Layout Designer) switches back to their applicable tab.

Tool Windows

• Option for recalling the configuration.

Floating windows – option to include ribbon

Consider when using multiple monitors.



Backwards compatibility of data and workspaces



Data tables are compatible in both versions.

Check the release notes for information on the implications of 32 bit versus 64 bit versions of Microsoft Office.



Workspaces created in the 32 bit versions of MapInfo Professional will open in the 64 bit version.

- Graph windows not supported.
- Legacy Layout window not supported.
 - In the 64 bit version, Layout windows are converted to Layout Designer windows to the extent possible.



Workspaces created in the 64 bit version of MapInfo Professional can be opened in the 32 bit version.

Patch (MapInfo Pro v12.5.2) is required.


Backwards compatibility for MapBasic 56 applications


Existing MapBasic applications will run in the 64 bit version of MapInfo Professional but with some exceptions.

- Applications that call 32 bit DLLs will need to be upgraded.
- Calls to Windows functions might or might not work, depending on changes in the Operating System.
- The 64 bit version does not have the Graph window nor the Legacy Layout window.

MapBasic applications will appear in the *Tool* Manager and menus and buttons will appear on a special *Legacy* tab.

Example of a







- New MapBasic syntax for Layout Designer and other new capabilities.
- MapBasic .NET support enhanced
 - Construct objects
 - Call Instance and Interface Methods and Properties
- New variable types: This, RefPtr, IntPtr and LargeInt,
- The new user interface is encompassed in a Microsoft
 .NET object model.
 - Support for .NET Instance object and Interface Properties and Methods
 - NET object model can be used from compiled MapBasic
- Improved method for integrating maps in other applications.
- New definition file, IMapInfoProfessional.def for method declarations

Performance



Multi-threading of object processing capabilities to use more or all of the available processors

- Split
- Erase
- Erase Outside
- Buffer

64 bit version: Other operations (although not made to be multi-threaded) offer incremental improvements in the time to complete.

Mostly due to ability to use more memory.

New raster grid format (.MRR) has substantially improved rendering times


Performance comparisons

	Dell Latitude D630, 2 CPU-2Ghz, 4 GB RAM	Dell Latitude E6420, 8 CPU-2.2Ghz, 8 GB RAM	
	Windows XP (32 bit)	Wind	ows 7 (64 bit)
	Version 12.0.3	Version 12.0.3	Version 12.5 32 bit
Buffer 1,735,272 points. 1 mile radius. 100 smoothness. One buffer of all objects. Cosmetic layer.	1091 seconds	844 seconds	733 seconds
Buffer layer of polylines. 20 km radius. 500 smoothness. One buffer for each object. Cosmetic layer.	130 seconds	113 seconds	28 seconds
Split 58 boundaries with a table of 3221 boundaries	254 seconds	207 seconds	86 seconds
Split 58 boundaries with 30,458 boundaries	705 seconds	557 seconds	190 seconds
	Up to 2 GB RAM used / single CPU	Up to 4 GB RAM used / single CPU	Multiple CPU's (multi-threaded!)

Other Improvements



All tools integrated on to the Ribbon.





Overdraft licenses are now available for distributed licenses.

- Helps to ensure you do not have a service disruption if you lose a license during server migrations or failure.
- You can overdraft up to 10% of the number of distributable licenses that you own.

Repair failed/broken licenses.

• You can now repair up to 10% of your distributable license holding.

Additional Data Format Support



ESRI GeoDatabase

Read/write support

Geography Markup Language (GML)



Read Support	
GML v2.1.2	Write Support
GML v3.1.1	GML SF-0 (Simple Features Level SF-0 Profile)
GML v3.2.1	


Read support through the "Open Universal Data" menu command and the FME Quick Translator.

Write support is through the FME Quick Translator.




To see progress on tasks running in the background.

Used by MapInfo Pro Raster.



Appears as needed but also available from Home > Window Gallery > Task Manager



Pro > *Options* > *Task Manager*

You might be wondering...

Is the 64-bit version a separate product? Does it cost extra?

• No. The same serial number and access code work for both the 32 bit version and the 64 bit version.

What version number is the 64-bit release?

• Version 12.5.1

Can I run both versions side-by-side?

• Yes.

Does running both consume two activations?

 No. When you install v12.5.1 you will enter the same serial number and activation code but you will not have to activate.

Are you going to stop developing the 32-bit version?

• Eventually. But not in 2015. Both 32-bit and 64-bit versions are planned.

MapInfo Pro Raster (The next BIG thing)




64 Coming soon: MapInfo Pro Raster

A new raster GIS add-on for MapInfo Pro

Innovative new grid format and high performance engine


- Great performance with very large grid files.
- Multi-resolution raster format allows variable size grid cells for improved efficiency.
- Efficiently displays data at all zoom levels ("pyramiding")
- Multiple variables in a single grid.
- Support for both numeric and classified (categorical) data in the same file.
- To be supported across our product line, including Spectrum Spatial and MapXtreme.
- SDK


First release targeted for Q2 2015



MapInfo Pro Raster capabilities


- Grid information
- Color gallery
- Import/Export grids from a variety of formats
- Combine (merge), resize, reproject, classify/reclassify and clip grids
- Update points, lines and regions with data from the grid
- Grid calculator for querying, filtering and performing grid math
- Calculate slope, aspect and curvature grids
- Contouring
- Calculate viewsheds and cross sections






MapInfo Pro Raster

MapInfo Pro Raster Prototype



electing: None Longitude / Latitude (WGS 84)



ım: 142.5 km 🔺 🛛 Editing: Cosmetic Layer 🔺 🔹 Selecting: Cosmetic Layer

*Seattle Elev with Cross section.wor 🔺

Want to know more?




Don't have MapInfo Pro v12.5 yet?

Download it from our Web site here: http://www.mapinfo.com/product/mapinfo-professional/

For more tips, tricks, techniques and advice, why not sign up for "The MapInfo Pro" monthly journal?

Click <u>here</u>







Tom Probert MapInfo Professional Global Product Manager Tom.probert@pb.com